



AMERILUBE

ADVANCED TECHNOLOGY LUBRICANTS

ATML

**SUPER PREMIUM SYNTHETIC
MISTING AIR TOOL LUBE**

American Synthol, Inc.

4343 Shallowford Road, Suite D2,
Marietta, GA 30062
Phone: 888-378-9290
Fax: 888-731-9534

AMERILUBE ATML

AMERILUBE ATML - Air Tool Misting Lubricant is a super premium, synthetic lubricant which is designed to lubricate air tools and other high speed applications that utilize a mist lubrication. It is made from advance technology synthetic bases and blended with the finest additives to provide maximum lubrication, and protection for modern air tools.

AMERILUBE ATML - Air Tool Misting Lubricant is specially formulated to work under adverse conditions of both high and low temperature applications. It removes deposits, cleans stuck air tools, and provides outstanding service in even the most severe operating conditions.

- Outstanding Oxidation Stability
- Unsurpassed Water Separation
- Very Good Resistance to Freezing
- High Flash & Auto-Ignition Points
- Very High Film Strength
- Excellent Coolant Properties
- Excellent Cleaning Properties
- Superior Penetrating Ability
- Excellent Rust Control
- Carbon and Varnish Control
- Superior Misting and Lubricity
- Reduced Maintenance Costs
- Reduced Lubricant Consumption
- Excellent Lubricating Ability at Very Low Temperatures

Typical Properties

Lubricant Designation	ATML
Viscosity Index	123
Viscosity cSt @ 40 °C	5.66
Viscosity cSt @ 100 °C	1.9
Viscosity SUS @ 100 °F	44.5
Viscosity SUS @ 212 °F	32.3
Flash Point °F	285
Auto-Ignition Point °F	535
Pour Point °F	-50
Oxidation Stability	10000
Color	<.5
Copper Corrosion, 24 Hr	1a
Rust Test	No Rust
Demulsibility, 130 °F, 30 min	40/40/0